

Contents

Volume 41, Number 1, July 1994

- 1 **Review** The role of growth hormone in male infertility:
Z. SHOHAM, Y. ZALEL and H. S. JACOBS
- 7 **Commentary** Prediction of post-partum thyroiditis:
A. P. WEETMAN
- 9 Serum thyroglobulin: an early indicator of
autoimmune post-partum thyroiditis: A. B. PARKES,
E. G. BLACK, H. ADAMS, R. JOHN, C. J. RICHARDS,
R. HALL and J. H. LAZARUS
- 15 Prediction of post-partum Graves' thyrotoxicosis by
measurement of thyroid stimulating antibody in early
pregnancy: Y. HIDAKA, H. TAMAKI, Y. IWATANI,
H. TADA, N. MITSUDA and N. AMINO
- 21 Amylin/islet amyloid polypeptide expression in
medullary carcinoma of the thyroid: correlation with
the expression of the related calcitonin/CGRP genes:
M. ALEVIZAKI, K. DAI, S. I. GRIGORAKIS, S. LEGON
and A. SOUVATZOGLU
- 27 Seasonal variation in the diagnosis of Graves' disease:
S. A. WESTPHAL
- 31 Effect of FK-506 on xenografted human Graves'
thyroid tissue in severe combined immunodeficient
mice: N. YOSHIKAWA, G. ARREAZA, T. MUKUTA,
E. RESETKOVA, N. MILLER, C. JAMIESON,
M. NISHIKAWA, M. INADA and R. VOLPÉ
- 41 Renal leak of calcium in post-menopausal
osteoporosis: B. E. C. NORDIN, M. HOROWITZ,
A. NEED and H. A. MORRIS
- 47 Effect of bisphosphonate therapy and
parathyroidectomy on the urinary excretion of
galactosylhydroxylysine in primary
hyperparathyroidism: V. LOCASCIO, V. BRAGA,
F. BERTOLDO, P. BETTICA, A. F. PASINI, L. STEFANI
and L. MORO
- 53 A hormonal and radiological evaluation of adrenal
gland in patients with acute or chronic pulmonary
tuberculosis: F. KELESTIMUR, Y. ÜNLÜ, M. ÖZESMI
and I. TOLU
- 57 Gonadal function and response to human chorionic
and menopausal gonadotrophin therapy in male
patients with idiopathic hypogonadotrophic
hypogonadism: J. M. W. KIRK, M. O. SAVAGE,
D. B. GRANT, P.-M. G. BOULOUX and G. M. BESSER
- 65 Less acidic forms of luteinizing hormone are associated
with lower testosterone secretion in men on haemodialysis
treatment: R. MITCHELL, C. BAUERFELD,
F. SCHAEFER, K. SCHÄRER and W. R. ROBERTSON
- 75 Characterization of 24-hour growth hormone secretion
in acromegaly: implications for diagnosis and therapy:
K. K. Y. HO and A. J. WEISSBERGER
- 85 The ratio between serum levels of insulin-like growth
factor (IGF)-I and the IGF binding proteins (IGFBP-1,
2 and 3) decreases with age in healthy adults and is
increased in acromegalic patients: A. JUUL, K. MAIN,
W. F. BLUM, J. LINDHOLM, M. B. RANKE and
N. E. SKAKKEBÆK
- 95 Determinants of clinical outcome and survival in
acromegaly: C. RAJASOORYA, I. M. HOLDAWAY,
P. WRIGHTSON, D. J. SCOTT and H. K. IBBERTSON
- 103 Treatment with octreotide and bromocriptine: an open
pharmacodynamic interaction study: L. FREDSTORP,
K. KUTZ and S. WERNER
- 109 Low dose continuously infused growth hormone results
in increased lipoprotein(a) and decreased low density
lipoprotein cholesterol concentrations in middle-aged
men: J. OSCARSSON, M. OTTOSSON, O. WIKLUND,
P. MÄRIN, K. VIKMAN-ADOLFSSON, P. BJÖRNSTORP
and S. EDÉN
- 117 Relation between growth hormone and cortisol
spontaneous secretion in children: C. E. MARTINELLI
and A. C. MOREIRA
- 123 **Endocrinology audit** An audit of the insulin
tolerance test in adult subjects in an acute investigation
unit over one year: S. L. JONES, P. J. TRAINER,
L. PERRY, J. A. H. WASS, G. M. BESSER and
A. GROSSMAN
- 129 **Case report** Congenital euthyroid goitre with impaired
thyroglobulin transport: Y. OHYAMA, T. HOSOYA,
T. KAMEYA, N. SUZUKI, S. NAKAMURA,
K. KAZAHARI, K. SHIBAYAMA, Y. YOKOTA and
N. MATSUURA
- 137 **Letter to the Editors**
- 138 **Book review**

Volume 41, Number 2, August 1994

- 139 **Review** 5 α -Reductase inhibitors and prostatic disease:
F. H. SCHRÖDER
- 149 **Commentary** Wherefore art thou brown fat?: R. JUNG
- 151 **Commentary** Inhibin as a tumour marker:
H. G. BURGER

- 155 Inhibin as a marker for hydatidiform mole: a comparative study with the determinations of intact human chorionic gonadotrophin and its free β -subunit: Y. BADONNEL, F. BARBÉ, H. LEGAGNEUR, E. PONCELET and M. SCHWEITZER
 - 163 Radiation and neuroregulatory control of growth hormone secretion: A. L. OGILVY-STUART, W. H. B. WALLACE and S. M. SHALET
 - 169 Comparative effects of GH, IGF-I and insulin on serum sex hormone binding globulin: M. GAFNY, A. SILBERGELD, B. KLINGER, M. WASSERMAN and Z. LARON
 - 177 Glycoprotein hormone α -subunit secretion in prolactinomas and in non-functioning adenomas: relation with the tumour size: A. WARNET, I. PORSOVA-DUTOIT, N. LAHLOU, D. SERET-BEGUE, E. LAJEUNIE, P. CHANSON, F. WOLMANT, G. LOT, P.-J. GUILLAUSSEAU and M. ROGER
 - 185 Expression patterns of messenger ribonucleic acids encoding prohormone convertases (PC2 and PC3) in human pituitary adenomas: K. HASHIMOTO, M. KOGA, H. KOUHARA, N. ARITA, T. HAYAKAWA, T. KISHIMOTO and B. SATO
 - 193 Serum lactogens possessed normal bioactivity in patients with lactation insufficiency: V. H. LIVINGSTONE, P. W. GOUT, S. D. CRICKMER, K. FOX and J. C. PRIOR
 - 199 Hypothalamic-pituitary ageing: progressive increase in FSH and LH concentrations throughout the reproductive life in regularly menstruating women: N. A. AHMED EBBIARY, E. A. LENTON and I. D. COOKE
 - 207 Osmoregulation of vasopressin and thirst: comparison of 20% mannitol with 5% saline as osmotic stimulants in healthy man: E. M. G. PHILLIPS, T. BUTLER and P. H. BAYLIS
 - 213 Hyperinsulinaemia and Na^+ , K^+ -ATPase activity in thyrotoxic periodic paralysis: A. CHAN, R. SHINDE, C. C. CHOW, C. S. COCKRAM and R. SWAMINATHAN
 - 217 Insulin sensitivity and insulin clearance in cystic fibrosis patients with normal and diabetic glucose tolerance: S. LANNG, B. THORSTEINSSON, M. E. RØDER, J. NERUP and C. KOCH
 - 225 Insulin-like growth factor binding protein I response to acute insulin induced hypoglycaemia in Type I diabetes: J. D. QUIN, B. M. FISHER, A. C. MACCUISH, G. H. BEASTALL, M. SMALL, J. M. P. HOLLY and A. M. COTTERILL
 - 231 A prospective study of the prevalence of clear-cut endocrine disorders and polycystic ovaries in 350 patients presenting with hirsutism or androgenic alopecia: J. B. O'DRISCOLL, H. MAMTORA, J. HIGGINSON, A. KANE and D. C. ANDERSON
 - 237 Oestrogen formation in genital and non-genital skin fibroblasts cultured from patients with hypospadias: P. STAIB, N. KAU, G. ROMALO and H.-U. SCHWEIKERT
 - 245 Comparison of changes in bone mineral in idiopathic and secondary osteoporosis following therapy with cyclical disodium etidronate and high dose calcium: supplementation: S. M. ORME, M. SIMPSON, S. P. STEWART, B. OLDROYD, C. F. WESTMACOTT, M. A. SMITH and P. E. BELCHETZ
 - 251 Malignancy-associated hypercalcaemia: resolution of controversies over vitamin D metabolism by a pathophysiological approach to the syndrome: D. H. SCHWEITZER, N. A. T. HAMDY, M. FRÖLICH, A. H. ZWINDERMAN and S. E. PAPAPOULOS
 - 257 **Case report** Calcitonin-producing insulinoma: clinical, immunocytochemical and cytogenetical study: M. J. G. M. BUGALHO, L. ROQUE, L. G. SOBRINHO, A. HOOG, J. F. M. NUNES, J. M. M. ALMEIDA, C. N. LEITÃO, J. R. SANTOS, M. C. PEREIRA, M. A. SANTOS and J. SOARES
 - 261 **Case report** Secondary hypoadrenalism presenting with hypercalcaemia: S. D. VASIKARAN, G. A. TALLIS and W. J. BRAUND
 - 263 **Commentary** M. DAVIES
 - 265 **Notices**
- Volume 41, Number 3, September 1994
- 267 **Review** Endocrine adaptation to intensive physical training during growth: G. E. THEINZ
 - 273 **Commentary** Glucocorticoid induced osteoporosis: C. GENNARI
 - 275 Effect of treatment on established osteoporosis in young women with amenorrhoea: B. GULEKIL, M. C. DAVIES and H. S. JACOBS
 - 283 Is a low skinfold thickness an indicator of osteoporosis?: S. M. ORME and P. E. BELCHETZ
 - 289 Whole body composition and regional bone mass in women with insulin-dependent diabetes mellitus: J. E. COMPSTON, E. M. SMITH, C. MATTHEWS and P. SCHOFIELD
 - 295 High dose topical calcipotriol consistently reduces serum parathyroid hormone levels: J. F. BOURKE, J. BERTH-JONES, R. MUMFORD, S. J. IQBAL and P. E. HUTCHINSON
 - 299 Suramin in adrenocortical cancer: limited efficacy and serious toxicity: W. ARLT, M. REINCKE, L. SIEKMANN, W. WINKELMANN and B. ALLOLIO

- 309 Postural stimulation test in patients with aldosterone producing adenomas: T. FELTYNOWSKI, H. IGNATOWSKA-ŚWITALSKA, B. WOCIAL, J. LEWANDOWSKI, J. CHODAKOWSKA and W. JANUSZEWICZ
- 315 Glucose and fat metabolism in adults with growth hormone deficiency: F. SALOMON, R. C. CUNEO, A. M. UMPLEBY and P. H. SÖNKSEN
- 323 Body composition in active acromegaly during treatment with octreotide: a double-blind, placebo-controlled cross-over study: T. B. HANSEN, J. GRAM, P. BJERRE, C. HAGEN and J. BOLLERSLEV
- 331 Age as a determinant of the impact of growth hormone therapy on predicted adult height: Z. HOCHBERG, E. LEIBERMAN, H. LANDAU, R. KOREN and Z. ZADIK
- 337 Metabolic effects of growth hormone administered subcutaneously once or twice daily to growth hormone deficient adults: T. LAURSEN, J. O. L. JØRGENSEN and J. S. CHRISTIANSEN
- 345 The effect of growth hormone replacement on serum lipids, lipoproteins, apolipoproteins and cholesterol precursors in adult growth hormone deficient patients: D. L. RUSSELL-JONES, G. F. WATTS, A. WEISSBERGER, R. NAOUMOVA, J. MYERS, G. R. THOMPSON and P. H. SÖNKSEN
- 351 Serum insulin-like growth factor I in a random population sample of men and women: relation to age, sex, smoking habits, coffee consumption and physical activity, blood pressure and concentrations of plasma lipids, fibrinogen, parathyroid hormone and osteocalcin: K. LANDIN-WILHELMSEN, L. WILHELMSEN, G. LAPPAS, T. ROSÉN, G. LINDSTEDT, P.-A. LUNDBERG and B.-Å. BENGTSOON
- 359 Age-related and gender-related occurrence of pituitary adenomas: T. MINDERMAN and C. B. WILSON
- 365 Prevalence of thyroid hormone autoantibodies in healthy subjects: S. SAKATA, M. MATSUDA, T. OGAWA, H. TAKUNO, I. MATSUI, H. SARUI and K. YASUDA
- 371 Impaired prolactin response to arginine in patients with hyperthyroidism: E. CICCARELLI, M. ZINI, S. GROTTOLI, P. RAZZORE, I. PORTIOLI and R. VALCAVI
- 375 Thyroid function and thyroid size in normal pregnant women living in an iodine replete area: A. BERGHOUT, E. ENDERT, A. ROSS, H. V. HOGERZEIL, N. J. SMITS and W. M. WIERSINGA
- 381 Susceptibility to autoimmune thyroiditis in Down's syndrome is associated with the major histocompatibility class II DQA 0301 allele: L. B. NICHOLSON, F. S. WONG, D. L. EWINS, J. BUTLER, A. HOLLAND, A. G. DEMAINE and A. M. MCGREGOR
- 385 **Audit in Endocrinology** Imaging in endocrinology: use of a potential methodology for audit consensus development: M. J. DAVIES and T. A. HOWLETT
- 391 **Case report** Multiple spuriously abnormal thyroid function indices due to heterophilic antibodies: T. M. FIAD, J. DUFFY and T. J. MCKENNA
- 397 **Case report** A case of hepatoma associated with hypoglycaemia and overproduction of IGF-II (E-21): beneficial effects of treatment with growth hormone and intrahepatic adriamycin: S. J. HUNTER, W. H. DAUGHADAY, M. E. CALLENDER, J. A. MCKNIGHT, E. M. MCILRATH, J. D. TEALE and A. B. ATKINSON
- 402 **Commentary** Non-islet-cell tumour hypoglycaemia: J. ZAPF
- 403 **Book review**
- 404 **Notices**

Volume 41, Number 4, October 1994

- 405 **Commentary** The investigation of hypercalcaemia: I. R. REID
- 407 Parathyroid hormone and parathyroid hormone-related protein in the investigation of hypercalcaemia in two hospital populations: J. WALLS, W. A. RATCLIFFE, A. HOWELL and N. J. BUNDRED
- 415 Familial isolated primary hyperparathyroidism: M. KASSEM, X. ZHANG, S. BRASK, E. F. ERIKSEN, L. MOSEKILDE and T. A. KRUSE
- 421 Bone metabolism during anti-thyroid drug treatment of endogenous subclinical hyperthyroidism: A. H. MUDDE, A. J. H. M. HOUBEN and A. C. N. KRUSEMAN
- 425 Bone mineral density in thyroxine treated females with or without a previous history of thyrotoxicosis: J. FRANKLYN, J. BETTERIDGE, R. HOLDER, J. DAYKIN, J. LILLEY and M. SHEPPARD
- 433 Increased insulin sensitivity in patients with aldosterone producing adenoma: M. ISHIMORI, N. TAKEDA, S. OKUMURA, T. MURAI, H. INOUE and K. YASUDA
- 439 Mineralocorticoid and glucocorticoid status in idiopathic haemochromatosis: C. H. WALSH, A. L. MURPHY, S. CUNNINGHAM and T. J. MCKENNA
- 445 Augmented 17α -hydroxyprogesterone response to ACTH stimulation as evidence of decreased 21-hydroxylase activity in patients with incidentally discovered adrenal tumours ('incidentalomas'): T. SEPPEL and R. SCHLAGHECKE

- 453 Development and validation of a radioimmunoassay for follistatin in human serum: C. P. GILFILLAN and D. M. ROBERTSON
- 463 Serum lipoprotein lipid profile in women with the polycystic ovary syndrome: relation to anthropometric, endocrine and metabolic variables: J. HOLTE, T. BERGH, C. BERNE and H. LITHELL
- 473 The independent effects of polycystic ovary syndrome and obesity on serum concentrations of gonadotrophins and sex steroids in premenopausal women: J. HOLTE, T. BERGH, G. GENNARELLI and L. WIDE
- 483 Evaluation of maternal serum immunoreactive inhibin as a first trimester marker of Down's syndrome: E. M. WALLACE, L. M. HARKNESS, S. BURNS and W. A. LISTON
- 487 Treatment with GHRH(1-29)NH₂ in children with idiopathic short stature induces a sustained increase in growth velocity: J. M. W. KIRK, P. J. TRAINER, W. H. MAJROWSKI, J. MURPHY, M. O. SAVAGE and G. M. BESSER
- 495 Inverse correlation between insulin-like growth factor binding protein-I and insulin in patients with acromegaly during treatment with the somatostatin analogue octreotide: L. FREDSTORP, S. WERNER, P. BANG and K. HALL
- 503 Effects of insulin-like growth factor-I on growth hormone and prolactin secretion and cell proliferation of human somatotrophinomas and prolactinomas *in vitro*: S. L. ATKIN, A. M. LANDOLT, P. FOY, R. V. JEFFREYS, L. HIPKIN and M. C. WHITE
- 511 The severity of growth hormone deficiency in adults with pituitary disease is related to the degree of hypopituitarism: A. T. TOOGOOD, C. G. BEARDWELL and S. M. SHALET
- 517 Loss of the normal relationships between growth hormone, growth hormone-binding protein and insulin-like growth factor-I in adolescents with insulin-dependent diabetes mellitus: K. L. CLAYTON, J. M. P. HOLLY, L. M. S. CARLSSON, J. JONES, T. D. CHEETHAM, A. M. TAYLOR and D. B. DUNGER
- 525 Endocrine profiles during administration of the new non-steroidal anti-androgen Casodex in prostate cancer: J. VERHELST, L. DENIS, P. VAN VLIET, H. VAN POPPEL, J. BRAECKMAN, P. VAN CANGH, J. MATTELAER, D. D'HULSTER and CH. MAHLER
- 531 **Case report** Neonatal primary hyperparathyroidism masked by vitamin D deficiency: K. MEERAN, M. HUSAIN, M. PUCCINI, H. SCOTT, C. DIONISI-VICI, D. R. HARVEY, J. LYNN and R. V. THAKKER
- 535 **Case report** Intrapulmonary shunting causing hypoxaemia in a case of carcinoid syndrome: A. HUSSAIN, E. T. YOUNG, J. D. GREAVES, P. J. HAMMOND, J. M. B. HUGHES, S. C. WALLIS and S. R. BLOOM
- 538 **Commentary** M. T. SEYMOUR
- 539 **Rapid communication** Growth hormone releasing activity by intranasal administration of a synthetic hexapeptide (hexarelin): Z. LARON, J. FRENKEL, I. GIL-AD, B. KLINGER, E. LUBIN, P. WUTHRICH, F. BOUTIGNON, V. LENGERTS and R. DEGHENGI

Volume 41, Number 5, November 1994

543 **Voluntary support for pituitary patients**

- 545 **Review** Lymphocytic traffic and homing into target tissue and the generation of endocrine autoimmunity: P. POZZILLI, P. CAROTENUTO and G. DELITALA
- 555 **Commentary** Ovarian stromal hypertrophy: A. KYEL-MENSAH and H. S. JACOBS
- 557 Ovarian stromal hypertrophy in hyperandrogenic women: D. DEWAILLY, Y. ROBERT, I. HELIN, Y. ARDAENS, P. THOMAS-DESROUSSEAUX, L. LEMAITRE and P. FOSSATI
- 563 Luteinizing hormone secretion and hypoandrogenaemia in critically ill men: effect of dopamine: G. VAN DEN BERGHE, F. DE ZEGHER, P. LAUWERS and J. D. VELDHIJS
- 571 Androgen suppressive effect of GnRH agonist in ovarian hyperthecosis and virilizing tumours: M.-M. PASCALE, M. PUGAT, M. ROBERTS, H. ROUSSET, H. DÉCHAUD, N. DUTRIEUX-BERGER and J. TOURNIAIRE
- 577 Identification of olfactory dysfunction in carriers of X-linked Kallmann's syndrome: J. M. W. KIRK, D. B. GRANT, M. O. SAVAGE, G. M. BESSER and P.-M. G. BOULOUX
- 581 Two mutations causing vitamin D resistant rickets: modelling on the basis of steroid hormone receptor DNA-binding domain crystal structures: A. R. RUT, M. HEWISON, K. KRISTJANSSON, B. LUISI, M. R. HUGHES and J. L. H. O'RIORDAN
- 591 Optimal frequency of administration of pamidronate in patients with hypercalcaemia of malignancy: S. J. WIMALAWANSA
- 597 Does acromegaly really predispose to an increased prevalence of gastrointestinal tumours?: S. D. LADAS, N.C. THALASSINOS, G. IOANNIDES and S. A. RAPTIS

- 603 Serum lipoproteins in acromegaly before and 6–15 months after transsphenoidal adenomectomy: J. OSCARSSON, O. WIKLUND, K.-E. JAKOBSSON, B. PETRUSON and B.-Å. BENGTSSON
- 609 Growth hormone administration stimulates energy expenditure and extrathyroidal conversion of thyroxine to triiodothyronine in a dose-dependent manner and suppresses circadian thyrotrophin levels: studies in GH-deficient adults: J. O. L. JØRGENSEN, J. MØLLER, T. LAURSEN, H. ØRSKOV, J. S. CHRISTIANSEN and J. WEEKE
- 615 Short and long-term cardiovascular effects of growth hormone therapy in growth hormone deficient adults: L. THUESEN, J. O. L. JØRGENSEN, J. R. MÜLLER, B. Ø. KRISTENSEN, N. E. SKAKKEBÆK, N. VAHI and J. S. CHRISTIANSEN
- 621 Endogenous and stimulated GH secretion, urinary GH excretion, and plasma IGF-I and IGF-II levels in prepubertal children with short stature after intrauterine growth retardation: W. J. DE WAAL, A. C. S. HOKKEN-KOELGA, TH. STIJNEN, S. M. P. F. DE MUINCK KEIZER-SCHRAMA, S. L. S. DROP and THE DUTCH WORKING GROUP ON GROWTH HORMONE
- 631 IGF-I treatment of adult patients with Laron syndrome: preliminary results: Z. LARON and B. KLINGER
- 639 The effect of growth hormone replacement on cortisol metabolism and glucocorticoid sensitivity in hypopituitary adults: J. U. WEAVER, L. THAVENTHIRAN, K. NOONAN, J. M. BURRIN, N. F. TAYLOR, M. R. NORMAN and J. P. MONSON
- 649 Inhibition of growth hormone release after the combined administration of GHRH and GHRP-6 in patients with Cushing's syndrome: A. LEAL-CERRO, A. PUMAR, E. GARCIA-GARCIA, C. DIEGUEZ and F. F. CASANUEVA
- 655 An audit of selected patients with non-functioning pituitary adenoma treated by transsphenoidal surgery without irradiation: K. M. BRADLEY, C. B. T. ADAMS, C. P. S. POTTER, D. W. WHEELER, P. J. ANSLOW and C. W. BURKE
- 661 Abnormal response of luteinizing hormone beta subunit to thyrotrophin-releasing hormone in patients with non-functioning pituitary adenoma: P. GIL-DEL-ALAMO, K. S. I. PETTERSSON, K. SACCOMANNO, A. SPADA, G. FAGLIA and P. BECK-PECCOZ
- 667 Evidence for the effect of antibodies to TSH receptors on the thyroid ultrasonographic volume in patients with Graves' disease: M. RIEU, A. RAYNAUD, A. RICHARD, S. LAPLANCHE, B. SAMBOR and J.-L. BERROD
- 673 Turner's syndrome with X-isochromosome and Hashimoto's thyroiditis: M. DE Kerdanet, J. Lucas, F. Lemee and M. Lecornu
- 677 Corticotrophin-releasing factor immunostaining is present in placenta and fetal membranes from the first trimester onwards and is not affected by labour or administration of mifepristone: E. S. COOPER, A. N. BROOKS, M. R. MILLER and I. A. GREER
- 685 **Case report** Hyperthyroidism associated with metastatic thyroid carcinoma: F. H. STEFFENSEN and N. AA. AUNSHOLT
- 689 **Case report** Growth hormone deficiency coupled with hypogonadism in AIDS: T. T. C. NG, I. P. M. O'CONNELL and E. G. L. WILKINS
- 693 **Commentary** J. M. PARKIN
- 695 **Letters to the Editors**
- 699 **Book reviews**
- 700 **Notices**
- 700 **Erratum**

Volume 41, Number 6, December 1994

- 701 **Endocrine Investigation Series**
- 702 **A Registry for Resistance to Thyroid Hormone**
- 703 **Endocrine Investigation** Investigation of obesity: P. G. KOPELMAN
- 709 **Commentary** Cabergoline: an advance in dopaminergic therapy: J. S. BEVAN and J. R. E. DAVIS
- 713 **Commentary** Radioiodine therapy of non-toxic multinodular goitre: D. GLINOER
- 715 Acute changes in thyroid volume and function following ¹³¹I therapy of multinodular goitre: B. NYGAARD, J. FABER and L. HEGEDÜS
- 719 Ultrasound guided percutaneous ethanol injection in the treatment of cystic thyroid nodules: G. VERDE, E. PAPINI, C. M. PACELLA, C. GALLOTTI, S. DELPIANO, S. STRADA, R. FABBRINI, G. BIZZARRI, R. RINALDI, C. PANUNZI and D. GELLI
- 725 Variability of serum thyroglobulin levels is determined by a major gene: L. D. K. E. PREMAWARDHANA, S. S. S. LO, D. I. W. PHILLIPS, L. M. PRENTICE and B. REES SMITH
- 731 Dopamine and the sick euthyroid syndrome in critical illness: G. VAN DEN BERGHE, F. DE ZEGHER and P. LAUWERS
- 739 Oral progestogen-only contraception may protect against loss of bone mass in breast-feeding women: L. E. CAIRD, V. REID-THOMAS, W. J. HANNAN, S. GOW and A. F. GLASIER

- 747 Bone mineral density and metabolism in premenopausal women taking L-thyroxine replacement therapy: M. GARTON, I. REID, N. LOVERIDGE, S. ROBINS, L. MURCHISON, G. BECKETT and D. REID
- 757 Eighty-six cases of Addison's disease: M-F. KONG and W. JEFFCOATE
- 763 Amplification of nocturnal melatonin secretion in women with functional secondary amenorrhoea: relation to endogenous oestrogen concentration: Y. OKATANI and Y. SAGARA
- 771 Serum inhibin during lactation: relation to the gonadotrophins and gonadal steroids: H. G. BURGER, J. P. C. HEE, P. MAMERS, M. BANGAH, M. ZISSIMOS and P. I. MCCLOUD
- 779 Serotonergic control of gonadotrophin and prolactin secretion in women: U. ULRICH, I. NOWARA and W. G. ROSSMANITH
- 787 Effects of follicular phase exercise on luteinizing hormone pulse characteristics in sedentary eumenorrhoeic women: N. I. WILLIAMS, J. W. MCARTHUR, B. A. TURNBULL, B. A. BULLEN, G. S. SKRINAR, I. Z. BEITINS, G. M. BESSER, L. H. REES, I. GILBERT, D. CRAMER, L. PERRY and D. S. T. PEDOE
- 795 Dissociation of adrenal androgen and cortisol secretion in Cushing's syndrome: S. K. CUNNINGHAM and T. J. MCKENNA
- 801 The effect of recombinant IGF-I on anterior pituitary function in healthy volunteers: P. J. TRAINER, J. HOLLY, S. MEDBAK, L. H. REES and G. M. BESSER
- 809 p53 gene mutations in pituitary adenomas: rare events: A. LEVY, L. HALL, W. A. YEUDALL and S. L. LIGHTMAN
- 815 Gs α and Gi2 α mutations in clinically non-functioning pituitary tumours: E. A. WILLIAMSON, M. DANIELS, S. FOSTER, W. F. KELLY, P. KENDALL-TAYLOR and P. E. HARRIS
- 821 Quinagolide efficacy and tolerability in hyperprolactinaemic patients who are resistant to or intolerant of bromocriptine: L. VILAR and C. W. BURKE
- 827 **Case report** Adrenocorticotrophin-independent unilateral macronodular adrenal hyperplasia occurring with myelolipoma: an unusual cause of Cushing's syndrome: P. J. JENKINS, S. L. CHEW, D. G. LOWE, R. H. REZNEK and J. A. H. WASS
- 831 **Case report** Primary hyperparathyroidism masked by antituberculous therapy-induced vitamin D deficiency: C. S. KOVACS, G. JONES and E. R. YENDT
- 837 **Commentary:** E. B. MAWER
- 839 **Letters to the Editors**
- 841 **Book reviews**
- 843 **Notices**
- 844 **Referees**
- 846 **Erratum**
- 847 **Author Index**
- 857 **Subject Index**

